

ЄВРОФЕБ



СТИРАЄ РИЗИКИ УСКЛАДНЕНЬ^{1, 2, 3}



Європейський
фебуксостат
для контролю
гіперурикемії



РП МОЗ України № UA/18053/01/01. Інформація призначена для професійної діяльності медичних та фармацевтичних працівників, для розповсюдження на спеціальних семінарах, конференціях з медичної тематики або для розміщення в наукових фахових виданнях, призначених для медичних установ і лікарів. Повна інформація про застосування та повний перелік протипоказань та побічних реакцій містяться в інструкції для медичного застосування препарату.

1. Michael A. Becker, M.D., H. Ralph Schumacher, Jr., M.D., Robert L. Wortmann, M.D., Febuxostat Compared with Allopurinol in Patients with Hyperuricemia and Gout N Engl J Med 2005;353:2450-61. 2. Mackenzie JS, Ford I, Nuki G, Hallas J, Hawkey CJ, Webster J, Ralston SH, Walters M, Robertson M, De Caterina R, Findlay E, Perez-Ruiz F, McMurray JJV, MacDonald TM: FAST Study Group. Long term cardiovascular safety of febuxostat compared with allopurinol in patients with gout (FAST): a multicentre, prospective, randomised, open-label, non-inferiority trial. Lancet. 2020 Nov 28;396(10264):1745-1757. doi: 10.1016/S0140-6736(20)32234-0. Epub 2020 Nov 9. PMID: 33181081. 3. Lee JS, Won J, Kwon OC, Lee SS, Oh JS, Kim YG, Lee CK, Yoo B, Hong S. Hepatic Safety of Febuxostat Compared with Allopurinol in Gout Patients with Fatty Liver Disease. J Rheumatol. 2019 May;46(5):527-531. doi: 10.3899/jrheum.180761. Epub 2018 Nov 15. PMID: 30442825.