




# АЭРТАЛ

ацеклофенак



Новое поколение  
золотого стандарта  
НПВП



## ПЕРЕНОСИМОСТЬ

Аэртал обладает высоким уровнем переносимости со стороны ЖКТ ввиду минимального угнетения простагландинов слизистой оболочки желудка<sup>1</sup>



## ЭФФЕКТИВНОСТЬ

Аэртал высокоэффективен благодаря своему многофакторному механизму воздействия на целый ряд медиаторов воспаления. Оказывает хондропротекторное действие<sup>2</sup>



## КОМФОРТНОСТЬ

Общее количество пациентов, прошедших лечение, составило 96,6 млн более чем за 15 лет. Более 90% пациентов (93,5%) дали позитивную оценку препаралу<sup>3</sup>

<sup>1</sup> Uchikawa A et al. Endoscopic study of the damaging action of diclofenac Na, aceclofenac and its placebo in the gastric and duodenal mucosa. Jap J Rheumatol 1999; 2: 249-53.  
<sup>2</sup> Насонова В.А. Ацеклофенак—эффективность и безопасность. РМЖ, том 11, №5, 2003 г. Martel-Pelletier J et al. Effects of aceclofenac and diclofenac on synovial inflammatory factors in human osteoarthritis. Clinical Drug Investigation, 1997. Blanco FJ et al. Effects of NSAIDs on synthesis of IL-1 Receptor antagonist (IL-1 Ra) by human articular chondrocytes. Osteoarthritis and Cartilage, 2000. Gonzales-Alvaro L Aceclofenac, a new nonsteroidal, antiinflammatory drug, decreases the expression and function of some adhesion molecules on human neutrophils. The Journal of Rheumatology, 1996.  
<sup>3</sup> Huskisson E et al. A large prospective open-label, multicentre SAMM study, comparing the safety of aceclofenac in patients with rheumatic disease. Eur J. Rheumatol Inflamm, 2000; Vol. 17 — Issue 1:1-7. 8. Peris F et al. Treatment compliance and safety of aceclofenac versus standard NSAIDs in patients with common arthritic disorders: a meta-analysis. Eur J. Rheumatol Inflamm 1996; 16 (1): 37-45. Lemme et al. Patient and Physician satisfaction with ACF Results of the European observational cohort study. Curren Med. Res. And Op. Vol 18 (3); 2002: 146-153.



Рихтер Гедеон

*Основана в 1901 году*

Представительство «Рихтер Гедеон» в Украине: 01054, Киев, ул. Тургеневская, 17Б.  
Тел./факс: +38 (044) 492-99-10, тел.: +38 (044) 492-99-19/11, e-mail: ukraine@richter.kiev.ua www.richter.com.ua